




ROLLER CONVEYOR



● About us

Speedway Limited Partnership has been one of the most experienced manufactures of rollers and conveyor products in Thailand since 1973. We have developed many type of products and proved to our customers that our products excel those of our competitors. In 2000, we moved our production into our new and modern factory to make sure that our higher production capacity and modernized machinery can fulfil our customers, Made to order and special specification of roller and conveyor are available.



We' ve started to be the manufacturing of Free Roller and Roller conveyor for a long time. We' ve understand Free roller as well as serve the needs our customer . So we strives to improve our product quality and service for customer. That we are extremely proud to make our customer satisfied.



● Our Product

FREE ROLLER

SPROCKET ROLLER

EXTENDAFLEX

BSR DUST SEAL ROLLER

BELT CONVEYOR

SKATE WHEEL

FREE ROLLER SET

CASTER BALL

ZLIDE CONTAINER ROLLER


ADJUSTER SUPPORT

SKATE TRACK

SPEEDWAY



FREE ROLLER SET



Free roller conveyor for industry logistic, storage and production line. Standard type and made to order type are available for suitable works. Best solution, more efficiency and cost saving for your business.


SERIES	Dia	P	W	L	H
SR	32	B	40	30	75



SR32B 403075

SERIES		Roller Conveyor			
SR		Straight type			
Dia		Roller diameter (mm)			
25	32	38	50	60	
P		Roller Pitch (mm)			
A	(Pitch 75)		B	(Pitch 100)	
W		Roller Width (cm)			
30	40	50	60	70	
L		Roller Length (x10) (cm)			
20	30	40			
H		Conveyor Height (cm)			
75					

Note : $W_o = W + 60 \text{ mm}$.



CUSTOMIZED SET

1	Width (Roller)	W	cm
2	Length (Roller)	L	cm
3	Height (Roller)	H	cm
4	Size Product/Big box (Width)	A	cm
5	Size Product/Big box (Length)	B	cm
6	Max Product Weight	X	Kg
7	Min Product Weight	N	Kg
8	Size Product/Small box (Width)	a	cm
9	Size Product/Small box (Length)	b	cm

Note : $W_o = W + 60 \text{ mm}$.

FREE ROLLER

M : SERIES



P : SERIES



H : SERIES



A : SERIES



D : SERIES




L : SERIES




V : SERIES



• A : SERIES R50A



$$S = E + 25$$






SAMPLE ORDER CODE


R50A1.6 - 400 EZ
S12 - 425 SZ

1 ROLLER DIAMETER	50							
3 ROLLER THICKNESS	1.6							
4 ROLLER LENGTH	200E	300E	400E	500E	600E	700E	800E	
6 ROLLER MATTERIAL	Z (Znplating steel)							
A SHAFT DIAMETER	12							
C SHAFT TYPE	S (SPRING)							
D SHAFT MATERIAL	Z (Znplating steel)							
LOAD CAPACITY (kgs)	60	(Average)						

UNIT mm.




SPROCKET ROLLER




SPEEDWAY SPROCKET ROLLER



Standard sprocket roller, roller with sprocket side for conveyor driven by chain and electric motor. steel sprocket and nylon plastic available for many conveyor type purpose.



SAMPLE ORDER CODE :




BSR DUST SEAL ROLLER




SAMPLE ORDER CODE :

BSR - 20 - C - 89 - 210 - F(14 x 11)



ROLLER MATERIAL	G3445
SHAFT MATERIAL	S45C
BEARING	6204 ZZ 6205 ZZ
FINISHING (COLOR)	STEEL

FLAT SHAFT	SLOT SHAFT
FLAT : F (a x b)	SLOT : S (c x a x k)



CARRIER	ROLLER LENGTH	SHAFT LENGTH	A	a	b	c	K
BSR20-C-60	L1	L2 = L1 + 30	L1 + 8	14	11	3	8
BSR20-C-76							
BSR20-C-89							
BSR20-C-101							
BSR20-C-114							
RETURN	ROLLER LENGTH	SHAFT LENGTH	A	a	b	c	K
BSR20-R-60	L1	L2 = L1 + 45	L1 + 20	14	12.5	4.5	8
BSR20-R-76							
BSR20-R-89							
BSR20-R-101							
BSR20-R-114							

L1	BELT
145	400
165	450
180	500
210	600
265	750
315	900

CARRIER	ROLLER LENGTH	SHAFT LENGTH	A	a	b	c	K
BSR25-C-89	L1	L2 = L1 + 30	L1 + 8	14	11	3	8
BSR25-C-101							
BSR25-C-114		L2 = L1 + 40	L1 + 10	18	15	4	11
BSR25-C-139							
RETURN	ROLLER LENGTH	SHAFT LENGTH	A	a	b	c	K
BSR25-R-89	L1	L2 = L1 + 45	L1 + 20	14	12.5	4.5	8
BSR25-R-101							
BSR25-R-114		L2 = L1 + 62	L1 + 30	18	16	5	11
BSR25-R-139							

L1	BELT
210	600
265	750
315	900
370	1050
420	1200



SKATE WHEEL




CASTER BALL




WHEEL TRACK

SPEEDWAY
ROLLER SYSTEM


PT




FT



MT-N




MT-F



ZR3805-50



ZR3805-75




ZR3815-50




ZR3815-75

ADJUSTER



FX

FN




PRODUCT	H1	H2	H3	D	G	T	A	MATERIAL	WEIGHT
FN-040Z	132	110	22	65	1/2." [21]	2.3	20	Steel Zn plating	0.20 Kgs.
FN-050Z	136	110	26	65	5/8." [26]	2.3	24	Steel Zn plating	0.30 Kgs.
FN-100Z	100	80	20	55	M10x1.5 [17]	2.3	17	Steel Zn plating	0.12 Kgs.
FN-120LZ	182	160	22	65	M12x1.75 [17]	2.3	20	Steel Zn plating	0.23 Kgs.
FN-120S	137	112	25	65	M12x1.75 [19]	2.3	19	Stainless SUS304	0.18 Kgs.

FN-120Z	130	108	22	65	M12x1.75 [19]	2.3	20	Steel Zn plating	0.19 Kgs.
FN-160LZ	186	162	24	65	M16x2.0 [24]	2.3	24	Steel Zn plating	0.36 Kgs.
FN-160S	146	121	25	65	M16x2.0 [24]	2.3	24	Stainless SUS304	0.29 Kgs.
FN-160Z	145	120	25	65	M16x2.0 [24]	2.3	24	Steel Zn plating	0.30 Kgs.
FX-040Z	130	110	20	90	1/2." [21]	2.3	20	Steel Zn plating	0.26 Kgs.


FX-050Z	132	110	22	90	5/8." [26]	2.3	24	Steel Zn plating	0.33 Kgs.
FX-120LZ	180	160	20	90	M12x1.75 [19]	2.3	20	Steel Zn plating	0.29 Kgs.
FX-120Z	127	108	19	90	M12x1.75 [19]	2.3	20	Steel Zn plating	0.24 Kgs.
FX-160LZ	170	150	20	90	M16x2.0 [24]	2.3	24	Steel Zn plating	0.40 Kgs.
FX-160Z	143	120	23	90	M16x2.0 [24]	2.3	24	Steel Zn plating	0.36 Kgs.

ZLIDE CONTAINER ROLLER




CA4020	Width 40 cm	Length 2 M
CA4030	Width 40 cm	Length 3 M
CA4040	Width 40 cm	Length 4 M

Roller set with powder coated color steel frame
Standard type PVC roller Reduce man powder
and cost saving. Easy use portable, light weight
and low cost. No tooling need for apply.




AA4020	Width 40 cm	Length 2 M
AA4030	Width 40 cm	Length 3 M
AA4040	Width 40 cm	Length 4 M

Roller set with Aluminum frame. Standard type
PVC roller Reduce man power and cost saving
Easy use portable, light weight and low cost
No tooling need for apply.



FE3020	Width 30 cm	Length 2 M
FE3030	Width 30 cm	Length 3 M
FE3040	Width 30 cm	Length 4 M


Roller set with Aluminum frame. This frame
can fold and cost saving. Easy use portable
light weight and low cost No tooling need
for apply.




LA30	Width 30 cm	Height 40-60 cm
LB30	Width 30 cm	Height 60-100 cm
LC30	Width 30 cm	Height 100-170 cm
LA40	Width 40 cm	Height 40-60 cm
LB40	Width 40 cm	Height 60-100 cm
LC40	Width 40 cm	Height 100-170 cm

For more flexible , support leg design to fit
with Container Roller Set. We have 3 type
LA , LB , LC variable height. Ready use and
can adjust without any tool.


● Fast and Easy




CA



AA




FE



LOADING / UNLOADING SET



SET : IC1




ROLLER FOR UNLOADED IN CONTAINER

IC1 (C452)

CA4020 x5 SET
Width 40 cm , Length 10 M (2M x 5)

SET : IC2



IC2 (C4523A3B)


CA4020 x5 SET
Support LA40 x3 SET
Support LB40 x3 SET
Width 40 cm , Length 10 M (2M x 5)
Height 40 - 100 cm

ROLLER FOR UNLOADED OUT CONTAINER

OC1 (C4142C)

CA4040 x1 SET
Support LC40 x2 SET
Width 40 cm , Length 4 M (4M x 1)
Height 100 - 150 cm


SET : OC1



OC2 (C4231B2C)

CA4030 x2 SET
Support LB40 x1 SET
Support LC40 x2 SET
Width 40 cm , Length 6 M (3M x 2)
Height 60 - 150 cm


SET : OC2



BELT CONVEYOR





MINI BELT ALUMINUM PROFILE BELT



S3

SAMPLE ORDER





SPEEDWAY PROFILE BELT S3					Unit : mm
BELT PU GREEN	0.8	1.5			
BELT WIDTH (BW)	100	150	200	250	300
TOTAL WIDTH (TW)	BW + 42				
LENGTH (L)	1000	1500	2000	3000	
FRAME	ALUMINUM PROFILE 11 x 35				
POWER SUPPLY	220 Vac 50 Hz 1 Ph				
MOTOR DRIVE	15Watt	25Watt	MINI GEAR MOTOR		



S5

SAMPLE ORDER




SPEEDWAY PROFILE BELT S5					Unit : mm
BELT PVC GREEN	2	3			
BELT WIDTH (BW)	200	300	400	500	
TOTAL WIDTH (TW)	BW + 70				
LENGTH (L)	1500	2000	3000	4000	
FRAME	ALUMINUM PROFILE 25 x 55				
POWER SUPPLY	220 Vac 50 Hz 1 Ph				
MOTOR DRIVE	40Watt	60Watt	90Watt	MINI GEAR MOTOR	

EXTENDAFLEX




● EXR321-W400




EXTENDAFLEX	EXR321-400
Free Roller	Dia 32 Steel
Width (in) (mm)	400
Length L (mm)	1200 - 4000
Height H (mm)	550 - 850
Structure	Steel Zn Plating
Casterwheel	PU 4" X 10 (Brake)
Weight (Kgs)	65
Close Length (mm)	1200
Overall Width (mm)	560

● EXR322-W400



EXTENDAFLEX	EXR322-400
Free Roller	Dia 32 Steel (x2)
Width (in) (mm)	400
Length L (mm)	1200 - 4000
Height H (mm)	550 - 850
Structure	Steel Zn Plating
Casterwheel	PU 4" X 10 (Brake)
Weight (Kgs)	70
Close Length (mm)	1200
Overall Width (mm)	560

● EXW380-W400



EXTENDAFLEX	EXW380-400
Skate wheel	Dia 38 Steel
Format ALT	5 / 5
Width (in) (mm)	400
Length L (mm)	900 - 4000
Height H (mm)	550 - 850
Structure	Steel Zn Plating
Casterwheel	PU 4" X 10 (Brake)
Weight (Kgs)	60
Close Length (mm)	900
Overall Width (mm)	560





26/203 หมู่ 1 ถนนบางขุนเทียนชายทะเล

แขวงสามด้า เขตบางขุนเทียน

กรุงเทพฯ 10150

26/203 moo 1 bangkunthian - chaitalae

samaedum bangkunthian bkk 10150

tel. (02) 892-1846 to 50 fax. (02) 892-1233 , 415-6327

www.Speedwayroller.com

www.zlidecontainerroller.com

email: speedway@speedwayroller.com

LINE: @speedwayroller

